User Manual MS-7306FC



Preface

Dear users:

We're pleased to present to you our 6-in-1 beauty machine featured with weight loss, figure slimming, anti-aging and so on. It is a multifunctional beauty machine, targeted at both face and body, mainly focusing on lifting and tightening of face, removing wrinkles, and body shaping. We aim at a safe and, at the same time, effective beauty result by using high-end technologies. RF, ultrasound and cryolipolysis fat-freezing machines are for professional use, which needs to be handled by professionals with proper training. Any improper use will result in adverse outcomes. Therefore we advise any personnel read this guide thoroughly and follow the instructions strictly before operation.

We believe our quality product will bring in good returns on your end. Also, you can count on our worry-free after-sales service.

Thank you!

Table of Contents

| | Preface | |
|--|---------|--|
| | | |
| | Part I | |
| Introduction | | |
| Advantages | | |
| Working Principles & Treatments | | |
| Body Management | | |
| Shaping Waist&Abdomen | | |
| Shaping Breasts | | |
| Shaping Arms | | |
| Shaping Back | | |
| Shaping Buttocks | | |
| Shaping Legs | | |
| Body Sculpting&Slimming | | |
| Cryolipolysis Fat-Freezing | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Part II | |
| | Part II | |
| 1.Detailed Operations | Part II | |
| 1.Detailed Operations 2.Technical Parameters | Part II | |
| 1.Detailed Operations 2.Technical Parameters 3.Dos and Don'ts | Part II | |
| 2.Technical Parameters 3.Dos and Don'ts | Part II | |
| 2.Technical Parameters3.Dos and Don'ts4. Troubleshooting & Solutions | Part II | |
| 2.Technical Parameters 3.Dos and Don'ts | Part II | |

Part I

Brief Introduction

RF, ultrasonic, and cryolipolysis fat-freezing beauty machines are currently the most popular beauty machines that work on tightening, body-shaping and anti-aging. It's an effective replacement of weight loss programs in beauty salons. Moreover, It is convenient and easy to operate. It solves body management issues for beauty-lovers. This equipment requires no injection, no medication, no operation, thus having no side-effects. It is used externally during the whole process and has an immediate effect. RF machines heats deeper skin layers, stimulates collagen cells to reform in dermis, increases blood circulation in hypodermis, thus achieving skin tightening and anti-aging. Combined with 40K and cryolipolysis fat-freezing technology, it doubles the results of body management.

Advantages

1. 6-in-1 multifunctional beauty machine that works on both of your facial and body care.

2. Ultrasonic fat burning replaces and transcends liposuction, bringing good news for treating obesity.

3. Various work heads can be replaced in different parts according to different requirements.

4. The perfect combination of ultrasound and RF solves the dilemma of losing weight. It helps with weight loss while at the same time maintains firm skin, increases skin elasticity, metabolism, and ultimately better health.

5. Adopting the cutting-edge technology of ultrasonic fat burning.

6. Painless, non-invasive during the process. Skipping any recovery periods without affecting any work and life plans.

7. Vacuum cryolipolysis fat-freezing technology help speed up the results.

8. Two RF heads both have the energy release of red LED respectively. They can dissolve fat and massage while at the same time accelerate metabolism, and sterilize skin. The effect is remarkable with a higher comfort level.

9. The effect of freezing is only for the fat layer, so it will not freeze the viscera or the skin.

10. Lipo laser: Even fat dissolving; Leave no scars; Safe and painless.

Body Management

Principles

40K

Using the sound wave with a frequency of 4 MHz emitted by the strong sound wave head gathering strong sound waves, human adipocytes can produce a strong impact and friction movement between adipocytes after entering the human body, which can effectively consume heat, water and shrink adipocytes. In addition, when sound waves vibrate, it can make adipocytes smaller. Strong crack will come along, cells will burst instantly, adipocytes reduce, so as to achieve the effect of fat removal.

Cavitation Principle of Ultrasound: Tens of thousands of tiny bubbles, namely cavitation bubbles, are produced by vibration of liquid. These bubbles grow in the negative pressure region formed by the longitudinal propagation of ultrasound, and close rapidly in the positive pressure region, thus being compressed and stretched under alternating positive and negative pressures. The bubbles will be compressed until burst, which will generate huge instantaneous pressure, generally up to tens of MPa to hundreds of MPa, and produce strong vibration and noise.

Advantages: It only aims for low-density adipose tissue in a specific frequency, and protects high-density tissue such as vascular and nerve tissue.

RF Body

RF instrument can achieve the effect of tightening skin, lifting skin and shaping face. The optimum frequency of radio frequency biothermal effect is 3 MHz, and the maximum speed of extreme change is 8 million charged particles in tissues per second. In the rapid change of electrodes, the dermal tissue naturally resists the radio frequency current and generates thermal energy.

RF wave directly penetrates the skin and generates energy by the resistance action of the skin, which makes the temperature of the skin bottom rise, rapidly and continuously heats the tissue and promotes the growth of collagen in the skin. The principle is tightening collagen and stimulating the proliferation of collagen in the dermis and then is utilized to enhance the tightness and durability in time. After 2-6 months, collagen will gradually proliferate and recombine, making sagging or relaxed skin tight and elevated.

Biological Effect

Radio frequency can shake millions of high frequency radio waves per second, penetrate the epidermis, directly act on the dermis, deep heat collagen cells, stimulate the growth of collagen fibers, so that it has a large number of new collagen support, making the skin more compact and elastic.

Every time energy comes into the skin, it feels a temporary sense of heat. This means that collagen has been stimulated to produce fever, resulting in tightening of the skin. While operating sliding, the radio frequency wave emitted by the therapeutic head of the super-frequency wave system, under the cold protection of the epidermis, has

acted on the deep dermis through the epidermis, rapidly heating water molecules to produce safe Bio-thermal energy. When the natural friction of collagen tissue is heated up to $45^{\circ}C^{\sim}60^{\circ}C$, it will shrink immediately and stimulate the collagen to continue to grow. At the same time, bio-heat can effectively accelerate blood flow in adipocytes, release free fatty acids (ffa), thereby increasing the dissolution of superficial fat, and achieve the purpose of tightening and lifting the sagging part of the body.

Laser Fat Removal

Laser fat-dissolving device uses red laser with a wavelength of 635nm-650nm, which is a visible spectrum. This wavelength of light has a strong penetrating power, which can effectively activate and repair fat cells, penetrate the fat layer, and dissolve subcutaneous fat by heat. Its treatment method is safe, without side effects or pain. Low levels of laser energy chemical signals are sent to fat cells to break down triglycerides stored in the body's fat layer into free fatty acids and glycerol and release them through membrane channels. Fatty acids and glycerol are transported to tissues that produce metabolic energy. The release of fatty acids is a natural response when the body needs to use stored energy reserves, so there is no unnatural reaction in the body, nor does it affect or damage surrounding structures such as skin, blood vessels and peripheral nerves. After a period of exercise therapy, it will ensure that the free

Biological Effect

LED uses 635nm - 650nm LED laser heating fat cells in the target zone to make it decompose. In a very short period of time, fat deposition is only absorbed by our body's natural metabolic processes and discharge. In the process of operation, the laser seal small blood vessels, significantly reduce the injuries, introduce the heat treatment area, stimulates the production of collagen, to make it smooth and tight and also achieve the effect of body-sculpting.

fatty acids of the body are eliminated through complete metabolism.

Laser mainly acts as a low-energy laser (biological stimulation) to reach fat in depth. It stimulates biological cells and induces or strengthens a series of physiological reactions by giving appropriate energy, including promoting local blood circulation, regulating cell function, enhancing immune function and promoting cell metabolism. It can at the same time tighten skin, wrinkles, reduce fat, and shape body. Laser penetrating power is very strong, and can activate or repair fat cells more effectively. It can also penetrate the fat layer, heat up and dissolve subcutaneous fat. The treatment method is safe, and has no side effects, no pain.

Using the latest non-operative, non-invasive laser fat decomposition technique, low levels of laser energy released. It produce a kind of chemical signals in the fat cells that will dissolve the trioxide triene stored in body into free fatty acid, glycerin and water molecules. And this is the natural reaction when using the energy reserves one need. The free fatty acids are transported into the body through the lymphatic system to provide energy for the body, just like the body would respond when lack of

heat.



ve out into interstitial space to spill out

Shaping Waist&Abdomen

Effects

- 1. Improve soft and sagging skin of waist and abdomen.
- 2. Improve excessive fat of waist and abdomen, beer belly and love handles.
- 3. Tighten skin and increase skin elasticity.
- 4. Relieve stretch marks, obesity lines
- 5. Accelerate metabolism, relieve constipation and encourage intestinal peristalsis.
- 6. Dissolve fat while at the same time tighten skin.

Applicable Range

- 1. Those with lumbar and abdominal fat or beer belly.
- 2. Those who have sagging or soft skin after birth.
- 3. Those sitting for a long time, or with unideal waistlines.
- 4. Those with striae due to obesity and pregnancy.
- 5. Those with constipation or obstruction of abdominal meridians.

Inapplicable Range

1. Those with "3 Hs" (hypertension, hyperglycemia, hyperlipidemia) and who have heart disease.

- 2. Those in pregnancy, menstruation or lactation.
- 3. Those who have just undergone surgical wounds or convalescents.
- 4. Those with epilepsy and severe diabetes and hyperthyroidism.
- 5. Those with malignant tumors, hemophilia or severe bleeding.
- 6. Those with skin diseases and infectious diseases.
- 7. Those with severe gynecological diseases.
- 8. Those whose gynecological diseases are being treated.

1. Avoid crop top or anything exposing waist and abdomen as well as cold and windy environment.

2. Avoid binge eating or drinking. No alcohol, no spicy and greasy food. Staying up late should be avoided. Drink warm water.

3. Keep abdomen warm. Take a bath after 4-6 hours.

4. Steam sauna, hot spring or strenuous exercise should be avoided within 7 days after operation.

5. Before going to bed at night, you can rub your abdomen clockwise with your hands, so as to better the effect of weight loss and metabolism.

Shaping Breasts

Effects

- 1. Adjust chest type and reduce accessory breast.
- 2. Relieve thoracic nodules, slight hyperplasia, alleviate menstrual breast pain.
- 3. Reduce chest expansion.
- 4. Alleviate irregular menstruation and reduce facial spots or skin without elasticity.
- 5. Alleviate postpartum breast atrophy, breast relaxation, breast duct blockage.

Applicable Range

1. Those with bad breast shape and accessory breasts.

2. Those with nodules in the chest, slight hyperplasia and painful breast during menstruation.

- 3. Those with extended chest fat extended.
- 4. Those with low immunity.
- 5. Those with irregular menstruation and facial spots or whose skin is inelastic.

6. Those with improper developed mammary glands, postpartum mammary gland atrophy, sagging breast, blocked breast duct and other conditions.

Inapplicable Range

1. Those with cardiovascular and cerebrovascular diseases, diabetes mellitus, abnormal coagulation function and impaired vital organ function.

2. Those who are long-term or ongoing users of anticoagulants, vasodilators, corticosteroids and other drugs.

- 3. Those with infectious lesions on the chest skin.
- 4. Patients with severe thoracic proliferative or fibroma or cyst.
- 5. Those in pregnancy and lactation.

- 1. Keep warm.
- 2. Wear styled and comfortable underwear. Don't press your chest hard.
- 3. Avoid getting cold. Take a bath after 4-6 hours.

Shaping Arms

Effects

- 1. Stimulate collagen hyperplasia in the bottom of the skin to shape and firm it.
- 2. Improve loose skin.
- 3. Improve flabby arms and thick arms.
- 4. Soothe loose skin.
- 5. Tighten skin.
- 6. Accelerate blood circulation and metabolism.

Applicable Range

- 1. Those with thick arms and want to look better in clothes.
- 2. Those with jiggly and flabby arms.
- 3. Those with loose arm skin.
- 4. Those whose arms are prone to pain and numbness.

Inapplicable Range

1. Those who have just had plastic surgery.

2. Those with hypertension, heart disease, diabetes, severe thyroid gland, malignant tumor, etc.

- 3. Those who are during allergic period and has severely sensitive skin.
- 4. Those with skin trauma or cut.
- 5. Those who are overly old.
- 6. Those who are pregnant and who are recovering from surgery.
- 7. Those with skin diseases and infectious diseases.

- 1. Keep warm after operation. Do not eat cold food.
- 2. 4-6 hours later in the shower.
- 3. Drink plenty of warm water to stay hydrated.
- 4. Refuse to overeat or stay up late.
- 5. Avoid sauna, hot spring or strenuous exercise within one week after operation.

Shaping Back

Effects

- 1. Relieve shoulder and back soreness.
- 2. Increase blood circulation and metabolism.
- 3. Improve blood supply to the head and sleep.
- 4. Firm skin and prevent sagging.
- 5. Improve excess fat on the back and shape the back.

Applicable Range

1. Those with sore shoulders and backs and stiff necks.

- 2. Those with insomnia, dreaminess and fading memory.
- 3. Those who are prone to fatigue, drowsiness and poor circulation of qi and blood.
- 4. Those with thick back and want to look better in clothes.

5. Those who work facing computer screen for long hours and experiencing neck discomfort.

Inapplicable Range

1. Those with metal implants in the body, such as stents and pacemakers, are allergic to metal.

- 2. Those are during pregnancy, menstruation and lactation.
- 3. Those whose surgical wound is healing or convalescence
- 4. Those who has "three Hs" , heart disease, epilepsy and severe diabetes and hyperthyroidism.
- 5. Those with malignant tumor and hemophilia or severe bleeding.
- 6. Those with skin diseases and infectious diseases.
- 7. Those who are too weak.
- 8. Those who are drunk, full, empty, thirsty and overworked.

Notes after Operation

- 1. Keep warm, avoid cold air and drink plenty of hot water.
- 2. Shower 4-6 hours after operation.
- 3. Avoid staying up late, drinking and overeating.
- 4. Avoid raw, cold and spicy foods and get enough sleep.
- 5. Avoid shoulder-baring and backless clothing.

Shaping Buttocks

Buttocks are located in the middle of human body, and are the key hub of meridian qi

and blood operation. They are the main switch of six meridian and also the bridge connecting the upper jiao qi and lower jiao qi blood operation of human body. They are the important factor of the body management whose S curve increases the feminine charm.

Effects

1. Improve blood circulation and speed up metabolism.

2. Improve menstrual pain, irregular menstruation, abnormal leucorrhea and other female diseases.

3. Improve sleep quality, improve female sexual function and tighten the vagina.

4. Activate the warm nest function, stimulate the secretion of glands, and increase the feelings between husband and wife.

5. Make complexion ruddy, fade color spots and return to young state.

6. Shape hips, improve sagging and outward expansion of hips, tighten skin and increase elasticity.

Applicable Range

- 1. Those with saggy hips and fat accumulation.
- 2. Those with striae induced by obesity and pregnancy,
- 3. Those whose butt shape is not good-looking, flat and soft outward expansion.
- 4. Those with cold and cool hips with low hip temperature.

5. Those with dysmenorrhea, dysmenorrhea, irregular menstruation, gynecological inflammation and other problems.

6. Those with decreased estrogen levels and poor sex lives.

Inapplicable Range

1. Those who are in menstruation, pregnancy, lactation and operation recovery.

2. Those with hypertension, heart disease, diabetes, severe thyroid gland, malignant tumor, etc

- 3. Those with skin diseases, patients with infectious diseases and skin sensitive period.
- 4. Those with wounds during recovery from surgery.
- 5. Those with allergic and severely sensitive skin.
- 6. Those who have just had liposuction.
- 7. Those who are overly old.

- 1. Keep hips warm and avoid wearing miniskirts and shorts.
- 2. Shower 4-6 hours after operation.
- 3. Drink plenty of hot water to avoid cold air.
- 4. Avoid staying up late, drinking and overeating.

- 5. Avoid eating raw, cold and spicy foods and get enough sleep.
- 6. Avoid sauna, hot spring or strenuous exercise for 7 days after operation.

Shaping Legs

Effects

- 1. Tighten skin and prevent sagging.
- 2. Stimulate collagen regeneration and improve fat lines.
- 3. Tighten excessive protruding fat on legs and rid thick thighs.
- 4. Improve soft and loose skin.
- 5. relieve leg soreness and pain.
- 6. Improve leg stretch marks induced by obesity.

Applicable Range

1. Those who have low immunity and feel discomfort and pain all over the body are prone to colds.

- 2. Those with course skin.
- 3. Those with loose skin.
- 4. Those with poor proportion of legs and desire to change that.
- 5. Those who walk long miles and experience soreness of legs.
- 6. Those with excessive fat accumulation of legs.

Inapplicable Range

1. Those who are in menstruation, pregnancy, lactation and operation recovery.

2. Those with hypertension, heart disease, diabetes, severe thyroid gland, malignant tumor, etc

- 3. Those with skin diseases, patients with infectious diseases and skin sensitive period.
- 4. Those with wounds during recovery from surgery.
- 5. Patients with severe varicose veins and tumors.
- 6. Those with allergic and severely sensitive skin.
- 7. People who have just had liposuction.
- 8. Those who are overly old.
- 9. Those who are pregnant or recovering from surgery.

- 1. Keep warm after operation. Do not eat cold food.
- 2. 4-6 hours later in the shower.
- 3. Drink more warm water to replenish water and speed up metabolism.
- 4. Refuse to overeat or stay up late.

- 5. Avoid sauna, hot spring or strenuous exercise for 7 days after operation.
- 6. Wear pants when you're done. Avoid miniskirts and shorts.

Body Sculpting&Slimming

Effects

- 1. Relieve shoulder and back soreness, and accelerate metabolism.
- 2. Stimulate collagen regeneration, firming and shaping.
- 3. Improve loose and soft waist and abdomen skin.
- 4. Improve the jiggly and thick arm.
- 5. Relieve soreness and no strength of limbs.
- 6. Improve unwanted fat on the back, waist and abdomen.
- 7. Tighten skin and prevent sagging.
- 8. Dissolve excessive body fat and accelerate metabolism.
- 9. Improve stretch marks, fat marks, and increase skin elasticity.
- 10. Improve constipation and intestinal peristalsis.

Applicable Range

- 1. Those who sit for long hours and don't look good at the waist.
- 2. Those with unwanted fat on waist and abdomen, prominent beer belly.
- 3. Those who has loose skin after delivery.
- 4. Those with striae induced by obesity and pregnancy.
- 5. Those with big arms, thick back, poor leg shape ratio and want to look better in clothes.
- 6. Those with jiggly and flabby arms.
- 7. Those with loose skin on arms and legs.
- 8. Those whose hands and legs are easily sore and numb.
- 9. Those with sore shoulders and backs and stiff necks.
- 10. Those with insomnia and dream, memory decline of the population.
- 11. Those who are prone to fatigue, drowsiness and poor circulation of qi and blood.

12. Those who have low immunity and feel discomfort and pain all over the body are susceptible to colds.

Inapplicable Range

1. Those who are during pregnancy, menstruation and lactation.

2. Those with hypertension, heart disease, diabetes, thyroid, epilepsy and severe hyperthyroidism.

- 3. Those with malignant tumor and hemophilia or severe bleeding.
- 4. Those who have just had liposuction.
- 5. Those with severe varicose veins and tumors.

6. Those whose surgical wound is healing or recovering.

- 7. Those with skin diseases and infectious diseases.
- 8. Those with severe gynecological diseases.
- 9. Those with gynecological diseases being treated.
- 10. Those with allergic and severely sensitive skin.
- 11. Those with skin trauma or cut.
- 12. Those who are overly old.

13. Those with metal implants in the body, such as stents and pacemakers, are allergic to metal.

- 14. Those who are too weak.
- 15. Those who over-drink, full, empty, thirsty and overworked.

Notes after Operation

1. Avoid wearing clothes that show navel, shoulder or back, miniskirts or shorts, and avoid getting cold from the wind.

2. Avoid overeating, staying up late, drinking and eating raw, cold, spicy and greasy food.

3. Keep warm after operation, and do not bathe until 4-6 hours apart.

4. Avoid sauna, hot spring or strenuous exercise for 7 days after operation.

5. Before going to bed at night, you can knead your abdomen clockwise with your hands to make the metabolic effect of weight loss better.

6. Drink plenty of hot water to hydrate and speed up metabolism.

Cryolipolysis Fat-Freezing

Principles

Cryolipolysis utilizes triglycerides in human fat to transform into solid state at low temperature of 5 degrees Celsius. The frozen energy is precisely controlled by a non-invasive freezing energy extraction device and transferred to the designated fat-soluble sites. The designated fat cells are targeted to eliminate and the designated fat cells reach a specific level when they are cooled. After low temperature, triglyceride transforms from liquid to solid, and dies one after another after crystallization and aging. Through metabolism, the body fat gradually decreases, thus achieving the effect of local fat-free and fat-soluble shaping.

Biological Effects

It utilizes on one characteristic of the fat cells, and that is it's particularly sensitive to low temperature, while adjacent tissue cells, blood cells and peripheral nerve cell, melanocyte, fiber cells or less fat fat cells have low sensitivity to coldness. This difference determines on specific low temperature (0-10 $^\circ\!C$), fat cells will be inactivated while other tissue cells will stay intact. The fat cells then go from normal

liquid to solid at 4-5 $^{\circ}$ C. The temperature of the handle can be as low as 0-10 $^{\circ}$ C, and the temperature transferred to the fat is about -4 to 5 $^{\circ}$ C. After about 45 minutes of freezing, the fat cells become solid, and when they do become solid, they don't stay in the body for very long. From liquid to solid, fat are reduced. Aging fat cells are expelled from the body by the liver and urine as the body's normal metabolism.

Effects

- 1. Disperse hard and thick fat and cellular tissue and dissolve adipocytes.
- 2. Reduce fat and eliminate obesity.
- 3. Relieve skin aging, tighten and shape, make skin firm and elastic.
- 4. Dissolve fat to build a perfect curved body.
- 5. Shape A4 waist, slender legs and small buttocks.

Applicable Range

- 1. Those with pear shape body induced by long hour sitting.
- 2. Those with flabby arms.
- 3. Those with unproportioned legs (thick thigh and thin calf).
- 4. Those with sagging skin.
- 5. Those with obesity induced by binge eating and drinking.

6. Those with postpartum abdomen skin laxity, protruding belly, redundant waist fat, and stretch marks.

7. Those who can not rid redundant fat on certain body parts despite of healthy diet and regular exercise.

- 8. Those with redundant fat on waist and abdomen, such as love handles.
- 9. Those with expanding hips, excessive and redundant fat.

Inapplicable Range

1. Those who have just undergone plastic surgery which have implanted prostheses, metal materials and so on.

1. Those who recently experienced certain injections, such as hyaluronic acid, intradermal injection, wrinkle removal, or plastic surgery.

2. Those with hypertension, heart disease, diabetes, severe thyroid and malignant tumors.

2. Those who are having an allergic reaction, or people with severe sensitive skin or allergic to metals.

- 3. Those with skin trauma or wound.
- 4. Those who are overaging.
- 5. Those in menstruation, pregnancy, lactation, surgical recovery.
- 6. Those with skin diseases and infectious diseases.
- 7. Those who are unrealistic about the effects.
- 10. Those with long-term or ongoing use of anticoagulants, vasodilators,

corticosteroids and other drugs.

11. Those with liver diseases.


Notes after Operation

- 1. Stay warm after treatment. Don't eat cold food. Avoid getting cold.
- 2. Take a bath after 4-6 hours.
- 3. Drink more warm water, supplement water and strengthen metabolism.
- 4. Avoid binge eating, drinking or staying up late.
- 5. Avoid eating cold or spicy food and allocate adequate sleep hours.
- 6. Avoid wearing crop top, backless clothes, miniskirts, shorts, etc.
- 7. Avoid scratching the treated area.
- 8. Avoid pushing or kneading the treated area.


Part II

1. Detailed Operation

After checking that the instrument is connected properly, the following starting interface will appear when the power supply is turned on.




The following interface then appears



The following interface then appears



1.1 Function Selection



| 7 | Energy Adjustment |
|---|--|
| - | Energy +/- |
| - | |
| | Start/Pause |
| | Home |
| 0 | Restore |
| | |
| | Red LED (Red LED turns on when the mac |


Red LED (Red LED turns on when the machine on and turns off when the machine is off.)

1.2 Detailed Operation: 40K Unoisetion




Select

dox Unoisetion to go to the interface below



M2 is Intermittent Mode(suitable for those who wish for a steady effect or results and lose weight at ease)







1.3 Detailed Operation: Body RF



to go to the interface below



RF Mode Selection: NOR is the set mode. The red LED is on and energy is at the set level and stay at the set level after turning on the device. PRO is the smart mode. The temperature goes up slowly to the set energy and red LED is on after the probe comes in full contact with the skin.




1.4 Detailed Operation: Lipo Laser



Select

to go to the interface below

| İ | | 35:00 + |
|------------|--|-----------------|
| Ī | | — + M1 M2 M3 |
| LIPO LASER | | |




1.5 Detailed Operation: Vacuum/ Jaw Fat-Freezing



Select

to go to the interface below



| Click | to start |
|-------|----------|



Vacuum Fat Freezing Parameter Adjustment (Two

handles share one interface)



Time Adjustment of Vacuum Fat Freezing






Time Adjustment of Vacuum Fat Freezing

Click

to start

Vacuum Fat Freezing Temperature Signal (The icon turns red if irregular temperature occurs)

Vacuum Fat Freezing Water Volume (The icon turns red if insufficient water volume or blocked water circulation occur)



Restore

2. Technical Parameters

Rated input voltage: AC220V-240V 50HZ / AC110V-120V 60Hz Rated input power: 350VA

Cool cold slimming Vacuum Small cooling hande: used for chin area Big cooling handle: used for body area Power: Up to 200W Cooling device output temperature: 5~ - 10°C Cooling device output : 0-5Kpa Cooling liquid: pure water

Cavitation frequency: 40KHz Cavitation Power: up to 60W Cavitation tip: 60mm diameter

RF for BODY RF frequency: 3MHz RF power: 30W

LED Light Light energy output: 5mW Light wavelength: 635-650 Light number: 88 pcs x 5mW

3. Safety Precautions

Patients with the following symptoms should be cautious about using this instrument. Please consult a doctor or a professional before using the instrument. The details are as follows: 1. Those who are pregnant or lactating.

2. Those with heart disease or who are equipped with pacemaker.

3. Those whose wounds have not healed and who are recovering from the operation.

4. Those with epilepsy, severe diabetes and hyperthyroidism.

5. Those with malignant tumor, hemophilia or severe bleeding.

6. Those with skin diseases and infectious diseases.

7. Do not wear metal jewelries during the process.

8. Do not use around metal, plastic or silicone infills.

9. Those who take anticoagulant drugs, vasodilators, corticosteroids and other drugs long term.

4. Dos and Dont's

1. Clean the probes with normal saline after operation and keep it properly stored after each operation.

2. Use a grounding pin and make sure the power socket of the device is properly connected before each operation.

3. Ensure that the voltage of the device is appropriate. If the voltage of the local power supply is unstable, we recommend that users increase to the matching power voltage.

4. In order to ensure the therapeutic effect and normal service life expectancy of the device, please use the specified accessories provided or recommended by the original manufacturer.

5. The device should not be placed in wet environment or near water, nor should they be directly exposed to sunlight.

6. Do not place the device near a strong heat source, because this may affect the life and normal use of the device.

7. Before treatment, please remove all metal objects from the body first, so as to avoid unexpected conditions and influence the curative effect.

8. Do not use on eyes, thyroid gland, parathyroid gland, testis, abdomen of pregnant women and atrial pulse generator.

9. Patients who are suffering from illness should be consult with a doctor and gain permission from the doctor before using.

10. Please turn off the power switch of the device, and ensure that the total power supply of the device is turned off before the staff leaves after daily use, so as to ensure the safety of the electrical products.

11. Use device or train device operators in strict accordance with instructions in the user manual.

12. When taking other weight-loss drugs, it is recommended to stop taking them for 1 to 2 months before using this instrument. If you lose weight immediately, you should extend the course of treatment.

13. Don't use the instrument with an empty stomach. After a full meal, wait at least 1 hour before a course of weight loss treatment.

14. When operating, the instrument should fully touch the skin to avoid uneven heat.

15. Start at the lowest level of energy at the beginning of the operation, then slowly

add up.

16. When receiving cryolipolysis fat-freezing treatment, it is required to apply 2 fat-freezing membrane on the treated area and dry skin should be avoided.

17. Clean the instrument with normal saline after operation to ensure its cleanliness and hygiene and prolong its service life.

18. The twisting knob is for controlling vacuum suction levels. By twisting, it adjusts suction level of (vacuum&RF handle, vacuum cryolipolysis).

19. Fixate the laser pads on the customer first, then turn on the machine and adjust energy level; It is advised to turn the energy level from low to high slowly subjecting to the customer's comfort level.

20. Make sure the whole surface of the laser pad come in full contact with the skin, not just a small patch of skin.

21. Lipo laser paddles can be used at separate occasions; Fixate it directly on fat part and adjust energy; Each session should last around 20 minutes or so. Combine massage, RF adn 40K with laser pads for a better beauty result.

22. It is advised not to use vacuum cryolipolysis fat-freezing and 40K, RF at the same time. When conducting 40K and RF treatment, you need to wait for 2 weeks or so to conduct vacuum cryolipolysis fat-freezing treatment, or when conducting vacuum cryolipolysis fat-freezing treatment, you need to wait for around 28 days before you can conduct 40K and RF treatment.

5.Troubleshooting & Solutions

1. The instrument cannot be started, but the key light on the back of the instrument does not work?

- A. Make sure the power cordis connected to a valid power socket.
- B. Whether the fuse tube on the back of the instrument is loose or burnt out.

2. The instrument stopped working after clicking on start button?

- A. It may be that the water flow of the instrument is insufficient for it to detect the flow.
- B. Check whether the water tank is short on water.

3. No suction when clicking on the start button?

A. Press the start button first, then press the start button of a single handle.

B. Check whether the twisting knob is at the the minimum suction level, which can be adjusted.

C. Check whether the time has been set to zero, and adjust the time if it is set to zero.

4. No energy output when using laser paddle?

A. Check if the connecting wire is connected with the main machine.

B. If the above methods cannot be handled, please contact the instrument dealer for assistance.

5. No RF output of the instrument?

A. Please check whether the plug connecting the instrument handle and the body is tightly connected.

B. Please check whether the treatment area has been cleaned. Grease or oil essential oil products may cause poor contact between the treatment handle of the instrument and human body, resulting in no RF output.

6. I can start the instrument, but the screen show's error message?

A. Please unplug the power plug behind the instrument and wait for about 1 minute before restarting the instrument.

B. If the above methods cannot be handled, please contact the instrument dealer for assistance.

6.FAQs

1. Q: Are there any side effects of fat freezing method?

A: Freezing weight loss is a completely non-traumatic and painless way to reduce fat. By using the principle that adipocytes are not cold-tolerant compared with other cells, adipocytes die early because of low temperature. Professional frozen constant temperature can maintain only on adipocytes, but not on other tissues of the body, without affecting skin or muscle. Fat cells after death are excreted from the body by metabolism, so there are no side effects on the body.

2.Q: How to lose weight by freezing fat?

A: Cryolipolysis fat-freezing plates are placed on the surface of human skin, cool subcutaneous tissue to 5°C, aging adipocytes ahead of time, and dying one after another, excreting in vitro through metabolism to achieve the effect of slimming.

The designated part of the adipocytes in clod temperature transforms from liquid to solid, crystallize and age and discharged in vitro through metabolism, and body fat gradually reduced, so as to achieve the effect of local fat-soluble shaping.

3. Q: Is it effective to dissolve fat with cryolipolysis fat-freezing?

A: The triglyceride contained in human fat will be transformed into solid at 5° C. The cryolipolysis handle will be placed where the fat will be removed. The fat will quickly coagulate into frozen shape and the cells will be depleted (the cells will fall off and die according to the growth law). Dead cells are treated as garbage in the body, which is excreted through metabolism, and the body fat decreases, thus achieving the effect of local fat-soluble shaping. Therefore, frozen fat-soluble is an effective way to lose weight.

4. Q: Why is anti-freezing membrane required for the operation?

A: According to the principle of heat and cold in human skin, gene molecules are mixed in the anti-freezing membrane. After clinical testing, the anti-freezing membrane has proven to effectively prevent frostbite of the skin and is suitable for all

skin.

5.Q: Do I need to control diet and exercise after treatment?

A: After cryolipolysis fat-freezing treatment, you should exercise regularly and pay attention to diet, because it only reduces body fat, and does not fundamentally improve the basic metabolism, so if you do not control diet and strengthen exercise, there will be a weight rebound.

6. Q: How long can I start seeing results of cryolipolysis fat-freezing treatment ?

A: It takes about 1 to 2 months, which is related to individual constitution and metabolism. The treatment is based on the principle that adipocytes are not cold-resistant. It takes a period of time to see that adipocytes are frozen to death and wither at about 5 $^{\circ}$ C and then discharged through body metabolism.

7. Q:Does it hurt during the process?

A: Because of the effect of vacuum in fat-freezing treatment, you can feel at most a slight pull feeling and local intense coldness on treated area. This kind of feeling is more apparent at the beginning. Generally single treatment time is 45 minutes or so. After the treatment, you may experience a little swelling numbness on treated area. But it doesn't get in the way of daily activities.

8. Q: Why can't I massage the treated area after operation?

A: After cryolipolysis fat-freezing treatment, the treated area will appear temporary redness, congestion and numbness and will disappear naturally in 1-2 weeks. If you rub it by hand at this time, it will aggravate skin damage and congestion due to the decreased elasticity of the frozen skin.

9.Q: Which one is better when it comes to losing weight, liposuction or this machine?

A: Liposuction utilizes the theory of vacuum suction by sucking redundant adipose out, in order to achieve local and rapid weight loss. It's quick, but the process needs anaesthesia, which belong to surgical operation, and requires recovery period, and has risks. While the machine is risk-free and has no side effects. While losing weight, it can also stimulate collagen regeneration to tighten and improve skin, shape perfect curves through lifting and pulling, and increase the sexual appeal of women.

10. Q: How long can I start seeing results of RF treatment?

A: Under normal circumstances within that day or a week. Skin collagen tissue is heated and produces contractions, and you can obviously feel skin tightening. Because RF works by stimulating subcutaneous tissue and bring about sustainable collagen regeneration, so the more you do it, the more visible effects you shall receive.

11. Q: Is RF harmful to skin?

A: RF treatment falls under the category of non-surgery operation. It stimulates collagen regeneration at the skin bottom and boosts metabolism, therefore has no

damage to the skin. Partial redness and fever is the normal phenomenon of accelerated blood circulation, and will be resolved by oneself after a moment, so there's no need to worry.

12.Q: How long does the body firming treatment take?

A: One operation time is 60 minutes. We will combine professional techniques and instruments to achieve remarkable results.

13. Q: Can ultrasound be operated all over the body?

A: Ultrasonic cavitation ruptures fat cells and causes mechanical disruption of fat cell membrane. Liquefied fat cells then cleared away by metabolic pathways. Our heart is a hollow organ, and sensitive to high frequency sound waves. Back and forth reflex occur due to the fact that muscle tissue and blood in the heart do not conduct sound waves in the same way. The reflex force can detach cardiac valves from cardiac muscles. If directed at the eye, it can cause retinal detachment. In a word, avoid eye and heart area when using ultrasonic beauty device. (It is also advised not to use it on waist, back and chest.)

14.Q: Does ultrasound have side effects on human body?

A: Ultrasonic beauty machine requires no surgery, no opening up and no anesthesia, therefore is indeed non-invasive. It relies on ultrasound (mechanical sound wave) - blast fat through cavitation - ultrasound focusing. And the results are fat smash - fat dissolving - skin firming and body sculpting respectively. It only targets at low density fat cells while leaving high density tissues like blood vessels intact, therefore having no side effects on human body. Slight tinnitus might appear to happen during the treatment, which is within normal range so there's no need to worry.

15.Q: Why does tinnitus occur?

A: It's because ultrasound comes with a high frequency vibration, which could go up to 20kHz. It also goes deep into skin fat layers, which could go down to 20mm below epidermis. Highly intensifies ultrasound cause high speed friction among fat cells, resulting in them bursting and heating up, and eventually emulsified. And during the process, ultrasound cause microvibration to the tissue that make us feel like as "tinnitus".

7.Packing List


- 1 x Main machine
- 2 x Fat freezing vacuum handles
- 1 x Chin Cooling handle
- 1 x 40Khz cavitation head
- 1 x RF head for body

- 1 x Power supply wire
- 4 x Large light pads
- 2 x Small light pads
- 3 x Holder

8. Operational Diagrams

| Parameter Adjustment | Product | Techniques | Diagrams | | |
|--------------------------------------|---|---|--------------------|--|--|
| Shapin | Shaping Waist&Abdomen: 60 min, 1-2 times/week | | | | |
| RF Body Energy: 30%-80% | Essential oil+ Gel+ Towel+ | Apply and rub oil on abdomen with hands, 3 times. Rub stomach back and forth with both hands, 3-5 | Technique 1, 7, 10 | | |
| Mode: PRO 40K Energy: | MS-7306FC | times. 3. Knead abdomen with both hands using chiropractic | | | |
| 30%-80% Mode: | | techniques, 3 times.4. Lift daimai on both sides of waist with both hands | Technique 2 | | |
| Consecutive Lipo Laser Energy: | | alternately, 16 times. 5. Move hands as if writing an "8" number on waist, 3 times. | | | |
| 30%-80% | | 6. Overlap hands and message the intestinal canal | Technique 3 | | |
| Mode: Consecutive | | clockwise, 3 times. 7. Move hands in circular motion and caress the treatment area, 3 times. 8. Push on the following acupoints: shangwan | Technique 4 | | |

| qihai guanyuan zhongji tianshu dasheng qugu, 2 times. 9. Starting from zhongji point, push both thumbs to belly navel, slide them to waist and the lift upwards to groin, 3 times. | Technique 5 |
|---|--------------|
| 10. Caress the treatment area with hands and slide to groin 11. Apply gel evenly on abdomen. 12. RF operation: starting | Technique 6 |
| from one side of the waist, lift the device to abdomen and groin, 3 times. 13. Repeat the previous operation on the other side, 3 times. 14. Move the device on | Technique 8 |
| abdomen in small circular motions, 3 times. 15. Move the device on abdomen in big circular motions, 3 times. 16. Move the probe to shape | |
| the waist as if writing "8", 3-5 times. 17. Move the probe up and down to shape the waist, 3-5 times. 18. Combined with hand, lift daimai on both sides of the | Technique 9 |
| waist, 16 times. 19. Repeat the same technique with 40K operation. 20. Strap lipo laser paddles down on fat part of the waist and abdomen; wait for around 20 min. | Technique 12 |
| 21. Take off the paddles and wipe the treatment area clean. | Technique 14 |



Suggested Treatment:

Ten treatments account for one full course of treatment. Once done, abdomen is heating up, metabolism is accelerated. After one course, fat slowly reduce through metabolism, body starts to slim down. Constipation and other issues are addressed at the same time. After 2 courses the effect gradually becomes obvious, skin is tightened and lifted, skin collagen increased. Stretch marks and flabby skin are also improved. 3 courses help reinforce the effect. Redundant adipose gradually disappear, lumbar abdomen curve start to take in shape, and slim waist starts to show.

Shaping Breasts: 60 min, 1-3 times/week

| RF Body | Massage | 1. Stand at the head of the | Technique 1, 3, 6, 10 |
|-----------|-------------|--|---------------------------------|
| Energy: | cream(essen | bed, both hands from shan | |
| 30%-80% | tial oil)+ | zhong point began to rub oil | |
| | Towel+ | to armpit up at the same time | |
| Mode: PRO | MS-7306FC | lift the suspension ligament | |
| | | (this is to caress treatment | ()) (() |
| | | area) 3 times. | |
| | | 2. Both hands thumb point: | Technique 2 |
| | | shanzhong, rugen, dabao, | |
| | | yingchuang, zhongfu, | (1) (1) |
| | | yunmen, 3 times. |): v ; (|
| | | 3. Caress the treatment area, | |
| | | 3 times. | ()) (() |
| | | 4. Overlap both palms from | Technique 4 |
| | | shan zhong point to chest both sides back and forth as if | rechnique 4 |
| | | writing an "8" number, 3 | ~~ |
| | | times | $\left(\sum_{i=1}^{n} \right)$ |
| | | 5. Lift the accessory breast to | (\cdot, χ, \cdot) |
| | | the suspensory ligament | |
| | | alternately with both hands, | 1 // 11 |
| | | first left, then right, 10 times. | Technique 5 |
| | | 6. Caress the treatment area, | |
| | | 3 times. | |
| | | 7. Sit beside the customer, | |
| | | first left, then right, with both | |
| | | hands to soothe and lift the | |
| | | chest, 3-5 times. | 5875 (1997) |
| | | 8. Alternately push the breast | Technique 7, 13 |
| | | duct around the chest (one | |
| | | circle of the chest), 3-5 times. | $\langle \rangle$ |
| | | 9. Use the thumb to dredge |). v . (|
| | | the nodules in the chest, 3 | M |
| | | times. | ()) (() |
| | | 10. Lift the whole chest with | Taskaisus 0, 42 |
| | | hands, 3-5 times. | Technique 8, 12 |
| | | 11. The technique on the | |
| | | other side is the same as | |
| | | above. | |
| | | 12. Radio frequency | |

| | instrument operation: first left, then right, from the bottom to the top along the direction of the chest to the nipple, combined with hand pacification, 5-8 times. 13. Draw half a circle along the chest to lift and pull from the bottom to the collarbone, combining with hand comfort, 5-8 times. 14. Make small circles to clear the nodule site for 3-5 times. 15. The customer lies on his side and stands up with his arms. The device burns fat in circles at the position of auxiliary breast, 5-8 times. 16. The instrument is pushed from the position of underarm auxiliary breast to the chest (shaping and receiving auxiliary breast), 5-8 times 17. The technique on the | Technique 15 Technique 16 |
|-----------------------|---|------------------------------|
| | receiving auxiliary breast), 5-8 times 17. The technique on the other side is the same as above. 18. Clean breasts with hot | 200 |
| | towel. | |
| Compared Transmission | | |

Suggested Treatment:

10 times account for a course of treatment. After a full course, breasts will experience heat, blood circulation is boosted, and a certain improvement effect will be seen. After a course of treatment the effect is more obvious, nodules are improved. 3 courses help tighten the skin and consolidate shaping effect, and increase the elasticity of the breasts. Regulating endocrine makes women more attractive.

Shaping Arms: 60 min, 1-2 times/week

| DE Dedu | Facential | 1 Loft right orders low the | Tachnique 1 |
|--------------------|---------------------|--|-------------------------|
| RF Body | Essential oil+ | 1. Left-right order: lay the | Technique 1 |
| Energy: 30%-80% | Gel+ | arm flatwise, apply and rub oil in from lower arm to the | |
| 3070-8070 | | entire arm and slide to the | |
| Mada, DDO | Towel+ MS-7306FC | fingers, 3 times. | ()) |
| Mode: PRO | IVI3-7300FC | 2. Push the entire arm with | |
| 40K Energy: | | | |
| | | both palms, 3 times. 3. Push hands upwards | Technique 2, 3, 4, 5, 6 |
| 30%-80% | | tracing three main collateral | rechnique 2, 3, 4, 3, 0 |
| Mode: | | channels(dachangjing-sanjiaoj | |
| | | ing-xiaochangjing) to armpits | |
| Intermittent | | with fingers spread and hukou | |
| Lipo Laser | | pointing upwards, 3 times. | |
| Energy: | | 4. Caress the treatment area, | |
| 30%-80% | | 3 times. | Technique 7 |
| 50%-80% | | 5. Trace and rub three main | |
| Mode: | | collateral channels on arms | IN AN |
| Consecutive | | with kneeling finger back and | (((=))) |
| Consecutive | | forth till them turn hot, 3 | Part / |
| | | times. | land |
| | | 6. Caress the treatment area, | P9 |
| | | 3 times. | Technique 8 |
| | | 7. Lay inner arm upwards, | |
| | | and push hands tracing three | 1) A |
| | | yin channel on inner | 11(==))) |
| | | arm(feijing-xinbaojing-xinjing) | 1 miles |
| | | to armpit, with hukou | larral |
| | | pointing upwards, 3 times | P 9 |
| | | respectively. | Technique 9 |
| | | 8. Rub three channels back | |
| | | and forth with kneeling | |
| | | fingers, 3 times. | 11(==>)) |
| | | 9. Caress the treatment area | 1. Mary |
| | | and slide to fingers | 6 |
| | | 10. Repeat the previous | F -1 |
| | | operation on another side | Technique 12, 15 |
| | | 11. Apply gel evenly on arms. | |
| | | 12. RF device operation: lay | |
| | | arms flatwise and start from | |
| | | fat part of lower arm, tracing | |
| L | 1 | | 1 |


| three channels to armpit, 3times.13. Move the device inannular motion, tracing threechannels to armpit, 3 times. | |
|--|--|
| channels to armpit, 3 times. 14. You may double the operation on flabby arms, 3 times. 15. Trace three channels to armpit, 3 times. 16. Lay inner arm flatwise and push three channels on upper arm to armpit, 3 times. 17. Trace three channels on upper arm and move the device in circles to armpit, 3 times. 18. Trace three channels from upper arm to armpit. 19. Repeat the previous operation with 40K operation. 20. Do the same on the other side. 21. Strap lipo laser paddles down on fat part of the arms; wait for around 20 min. 22. Take off the paddles and wipe the treatment area clean. | Technique 13, 14 Fechnique 16, 18 Fechnique 16, 18 |

10 treatments account for a full course. Once done, it will feel warm and tight, and the arms will be relaxed. A course of treatment help reduce excessive arm fat and the skin appear to be tight and plump. 2 courses of treatment began to shape the arms, strengthen the effect, dredge meridians, and enhance the physique. 3 courses help consolidate stability and prevent rebound.

| Shaping Back: 60 min, 1-3 times/week | | | |
|--|---|--|--|
| RF Body Energy: 30%-80% Mode: PRO Lipo Laser Energy: 30%-80% Mode: Consecutive | Essential oil+ Gel+ Towel+ MS-7306FC | Apply oil on back and press Fengchi and fengfu points. (Starting from hairline) stroke badanjin with thumb, 3-5 times. Move thumb outwards from pangguangjin to baliao area and then to fengchi and fengfu point. Starting from neck to caudal vertebra, move hands in S-shape, 3 times. Push pangguangjin with thumb in left-right order, 3 times. Push pangguangjin to baliao area with both thumbs, at the same time, 3 times. Push pangguangjin in three kneeling fingers, 3 times. Push scapula slot with both hands alternately in left-right order, 3-6 times. Push scapula slot with both hands horizontally, 3-6 times. Caress the back with both hands and push fengchi and fengfu points, 3 times. Overlap both thumbs and push tianzong point and slide | Technique 1, 10 Technique 2 Technique 2 Technique 3 Technique 3 Technique 4 Technique 4 Technique 5, 6, 7, 13, 15 |
| | | to the arm, 3 times. 12. Repeat the previous action on another arm, 3 times. | |

Shaping Back: 60 min, 1-3 times/week

| Rub dumai and pangguangjin with hands until they turned hot. Apply gel evenly on back. RF Operation: Starting | |
|--|------------------|
| from dumai to pangguangjin, move the device from neck to baliao area, 3-5 times. 16. Move the device in circles on dazhui point, and baliao area, 3-5 times respectively. 17. From dabanjin to neck, | Technique 8 |
| move the device back and forth, 3-5 times. 18. Lift the device on scapula slot in left-right order, 3-5 times. 19. Move the device horizontally as if writing an | Technique 9 |
| "8" number to baliao area, 3 times. 20. Move the device upwards in annular motion to armpit in left-right order on both sides, 3 times. 21. Move from sides of the waist to armpits from bottom | Technique 11, 12 |
| to top to lift the treatment area, 3-5 times. 22. Strap lipo laser paddles down on fat part of the back; wait for around 20 min. 23. Take off the paddles and wipe the treatment area | Technique 17 |
| clean. | Technique 18 |



10 treatments account for a full course. Once done, back feel significantly relaxed, and it can also alleviate neck stiffness, and lift skin. A course help relax shoulder, reduce back fat, ease the lump on the nape of the back, shape the back line, and improve sleep. 3 courses help with back thinning, enhance the effects and prevent rebound. (One full course helps to reduce size, two courses help to strengthen effect, three courses help with consolidation and avoid rebound.)

Shaping Buttocks: 60 min, 1-2 times/week

| RF Body | Essential oil+ | 1. Standing on the side, | Technique 1, 4, 10 |
|-------------|----------------|----------------------------------|---------------------|
| Energy: | Gel+ | accumulate oil on hands and | 1 |
| 30%-80% | Towel+ | then slide to the waist and | 63 |
| | MS-7306FC | then lift up along the hips | |
| Mode: PRO | | from the waist, 3 times (this is | |
| | | to caress the treatment area.) | |
| 40K Energy: | | 2. Repeatedly push ba liao | |
| 30%-80% | | zone with two thumbs. | Technique 2 |
| | | 3. Caress the treatment area | 1 |
| Mode: | | for 3 times and then point: | |
| Consecutive | | "shenyu", "ba liao", "chang | |
| | | qiang", "huan tiao" and | |
| Lipo Laser | | "cheng fu", 3 times. | |
| Energy: | | 4. Caress the treatment area, | · · · / |
| 30%-80% | | 3 times. | Technique 3 |
| | | 5. First left, then right, with | 1. • 1 |
| Mode: | | both hands extending from | 4.2 |
| Consecutive | | the root of the thigh from | |
| | | bottom to top bladder | |
| | | tendon kidney liver | |
| | | gallbladder vein, 3 times | |
| | | each. | Technique 5, 13, 16 |
| | | 6. Both hands follow from | / \ |
| | | the root of thigh from bottom | 4 |
| | | to top bladder channel, | |
| | | kidney channel, liver channel | |
| | | and gallbladder channel to | |
| | | the vein, 3 times each. | |
| | | 7. Overlap both palms and | Technique 6 |
| | | push up together from thigh | |
| | | root to pulse (ascension),3 to | |
| | | 5 times. | |
| | | 8. Push your hands from | |

| bottom to top from both sides of your hips to the top of your hips, 3 times.9. Repeat the previous operation.10. Caress the treatment area. | Technique 8, 14, 17 |
|---|-------------------------------------|
| | Technique 8, 14, 17 Technique 15 |
| down on fat part of the buttocks; wait for around 20 min. 21. Take off the paddles and wipe the treatment area clean | |

10 treatments account for a full course. After one treatment, buttocks will experience lifting and heat. After a course of treatment buttocks start to show obvious curve lines, and excessive fat begin to disappear slowly, and skin appear to be tight. After 3 courses, the conditions of cold body and uterus, other gynecological problems such as irregular menstruation are improved. It also help consolidate the effect, and increase the female charm.

Shaping Legs: 70 min, 1-3 times/week

| RF Body | Essential oil | 1. Rear leg, left-right order: | Technique 1, 2, 3, 4, |
|-------------|---------------|--------------------------------|---------------------------|
| Energy: | (massage | apply and rub oil in from calf | 6, 7, 8 |
| 30%-80% | cream)+ | to thigh to heel, 3 times. | - |
| | Gel+ | 2. Alternately push the entire | |
| Mode: PRO | Towel+ | leg from bottom to top and | |
| | MS-7306FC | wrap back into the heel, 3 | |
| 40K Energy: | | times | 10/ |
| 30%-80% | | 3. Move hands upwards to | 00 |
| | | four main collateral | Technique 5 |
| Mode: | | channels(pangguangjin-shenji | 4 |
| Consecutive | | n-ganjin-danjin) with fingers | |
| consecutive | | spread and hukou pointing | 123/ |
| Lipo Laser | | upwards. | E E |
| Energy: | | 4. Push hands alternately to | VAV |
| 30%-80% | | popliteal fossa, 3 times. | 206 |
| 5070-8070 | | 5. Twist both hands upwards | Technique 11, 13 |
| Mode: | | alternately as if twisting a | |
| Consecutive | | fired dough, 3 times. |)***{} (|
| Consecutive | | 6. Caress the treatment area, | |
| | | 3 times. | ()) |
| | | 7. Push four main collateral | |
| | | | 00 |
| | | channels upwards with | Tashaisus 12 |
| | | kneeling fingers of both | Technique 12 |
| | | hands, 3 times. |):{\(|
| | | 8. Caress the treatment area, | |
| | | 3 times. | |
| | | 9. Do the same on the other | $\langle 1 \rangle$ |
| | | side. | $\langle \rangle \rangle$ |
| | | 10. Apply gel evenly on the | |
| | | treatment area. | Technique 14, 16 |
| | | 11. RF operation: move the | |
| | | device from popliteal fossa to | |
| | | pangguangjin-shenjin-ganjin-d | |

| anjin, 3 times. | |
|--|---------------------------|
| 12. Move the device in | |
| circular motion on calf, 3 | |
| times. | \setminus |
| 13. Move the device upwards | |
| to popliteal fossa and caress | Tashaisus 15 |
| the treatment area with hands, 3 times. | Technique 15 |
| 14. Push from popliteal fossa | |
| tracing 4 main collateral | |
| channels to the end of thigh, | |
| 3 times. | |
| 15. Move the device in | |
| circular motion from popliteal | Technique 20, 21, 22, |
| fossa to the end of thigh, 3 | 23, 25 |
| times. | 4.1 |
| 16. Push from popliteal fossa | |
| tracing main collateral channels to the end of thigh, | |
| 3 times. | |
| 17. Do the same with 40K | ALC I |
| treatment. | Technique 26, 30 |
| 18. Do the same on the other | / |
| side. | |
| 19. Strap lipo laser paddles | o al |
| down on fat part of the rear | No. g |
| legs; wait for around 20 min. | Kal / |
| 20. Take off the paddles and wipe the treatment area clean | Technique 27, 31 |
| with hot towel. | rechnique 27, 51 |
| 21. The end of rear leg | |
| treatment. | |
| 22. Foreleg: rub oil with both | |
| hands from heel to the thigh | \setminus |
| root (namely to caress the | |
| treatment area), 3 times. | Technique 28 |
| 23. Alternately push the | 4.1 |
| entire leg from bottom to top | |
| and wrap back into the heel, 3 times | |
| 24. Move hands upwards to | $\langle \cdot \rangle$ |
| four main collateral | \ I (|
| channels(pijing-weijing-ganjin | Technique 29 |
| g-danjing) with fingers spread | |

| and hukou pointing upwards, 3 times. 25. Push four main collateral channels upwards with kneeling fingers of both hands, 3 times. 26. Apply gel evenly on treatment area. 27. RF operation: Lift the device towards knee while tracing 3 collaterals, 3 times(start from thigh if there's not enough unwanted | |
|---|--|
| sides of calf in annular motion, 3 times(start from thigh if there's not enough unwanted fat on calf.) 29. Lift the device from knee to thigh root in lines, 3 times. 30. Move the device in small circles on thigh, 3 times. 31. Coupled with hand, lift from 2 sides of leg to the middle, 3 times. 32. Lift the device from knee to thigh root in annular motion, 3 times. 33. Lift the device from knee to thigh root in lines, 3 times. 34. Do the same with 40K operation. | |
| 35. Do the same on the other side. 36. Strap lipo laser paddles down on fat part of the legs; wait for around 20 min. 37. Take off the paddles and wipe the treatment area clean. | |

10 treatments account for a full course. After one treatment, leg is relaxed, and circulation is accelerated. After a course of treatment, leg becomes thin, skin collagen tissue experience contraction due to heat effect, and tightening effect can obviously be felt on the skin. After 2 courses, leg is tight and slim, and obvious results are seen. 3 courses help consolidate the effect. Super RF + super ultrasound is to stimulate the dermis of the skin, which can sustain collagen regeneration, so the treatment effect will be more and more obvious

Body-Shaping&Slimming: 150 min, 1-3 times/week

| RF Body | Essential oil+ | Back | Technique 1, 10 |
|-------------|----------------|---------------------------------|---------------------------------------|
| Energy: | Gel+ | 1. Apply oil on back and press | J**\ |
| 30%-80% | Towel+ | Fengchi and fengfu points. | |
| | MS-7306FC | 2. (Starting from hairline) | $\Lambda' \Lambda$ |
| Mode: PRO | | stroke badanjin with thumb, | $\langle 9 \rangle \rangle$ |
| | | 3-5 times. | |
| 40K Energy: | | 3. Move thumb outwards | |
| 30%-80% | | from pangguangjin to baliao | Technique 2, 17 |
| | | area and then to fengchi and | |
| Mode: | | fengfu point. | |
| consecutive | | 4. Starting from neck to | / \/ ` \ \ |
| | | caudal vertebra, move hands | $\langle v \rangle \langle v \rangle$ |
| Lipo Laser | | in S-shape, 3 times. | |
| Energy: | | 5. Push pangguangjin with | |
| 30%-80% | | thumb in left-right order, 3 | Technique 3 |
| | | times. | 1 |
| Mode: | | 6. Push pangguangjin to | |
| consecutive | | baliao area with both thumbs, | |
| | | at the same time, 3 times. | |
| | | 7. Push pangguangjin in three | |
| | | kneeling fingers, 3 times. | |
| | | 8. Push scapula slot with both | Technique 4 |
| | | hands alternately in left-right | 11 |
| | | order, 3-6 times. | (JSL) |
| | | 9. Push scapula slot with both | $ \Lambda \leq \Lambda $ |
| | | hands horizontally, 3-6 times. | VSV |
| | | 10. Caress the back with both | |
| | | hands and push fengchi and | |
| | | fengfu points, 3 times. | Technique 5, 6, 7, 13, |
| | | 11. Overlap both thumbs and | 15 |
| | | push tianzong point and slide | |
| | | to the arm, 3 times. | |


| 12 Depost the province | |
|---|------------------|
| 12. Repeat the previous action on another arm, 3 times.13. Rub dumai and pangguangjin with hands until they turned hot. | |
| 14. Apply gel evenly on the | Technique 8, 18 |
| back. 15. RF Operation: Starting from dumai to pangguangjin, move the device from neck to baliao area, 3-5 times. 16. Move the device in circles | |
| on dazhui point, and baliao | Technique 9 |
| area, 3-5 times respectively. 17. From dabanjin to neck, move the device back and forth, 3-5 times. 18. Lift the device on scapula slot in left-right order, 3-5 | |
| times. | Technique 11, 12 |
| 19. Move the device horizontally as if writing an "8" number to baliao area, 3 times.20. Move the device upwards in annular motion to armpit in | |
| left-right order on both sides, | Technique 16 |
| 3 times. 21. Move from sides of the waist to armpits from bottom to top to lift the treatment area, 3-5 times. 22. Strap lipo laser paddles | |
| down on fat part of the back; | Technique 19 |
| wait for around 20 min. 23. Take off the paddles and wipe the treatment area clean. 24. The end of back treatment. | |
| | Technique 20 |
| Legs 25. Leg massage, left-right | |

| order: apply and rub oil in from calf to thigh to heel, 3 times. 26. Alternately push the entire leg from bottom to top and wrap back into the heel, 3 times 27. Move hands upwards to four main collateral channels(pangguangjin-shenji n-ganjin-danjin) with fingers spread and hukou pointing upwards. 28. Push hands alternately to popliteal fossa, 3 times. 29. Twist both hands upwards alternately as if twisting a fired dough, 3 times. 30. Caress the treatment area, 3 times. 31. Push four main collateral channels upwards with kneeling fingers of both hands, 3 times. 32. Caress the treatment area, 3 times. 33. Do the same on the other side. 34. Apply gel evenly the legs. 35. RF operation: move the device from popliteal fossa to pangguangjin-shenjin-ganjin-d anjin, 3 times. 36. Move the device in circular motion on calf, 3 times. 37. Move the device upwards to popliteal fossa and caress the treatment area with | Image: constraint of the second state of the secon |
|--|--|
| 37. Move the device upwards to popliteal fossa and caress | Technique 38, 40 |

| 3 times. 39. Move the device in circular motion from popliteal fossa to the end of thigh, 3 times. 40. Push from popliteal fossa tracing main collateral channels to the end of thigh, 3 times. 41. Do the same with 40K operation. 42. Strap lipo laser paddles down on fat part of the legs; wait for around 20 min. 43. Take off the paddles and wipe the treatment area | Technique 39 Technique 45 |
|--|------------------------------|
| whet the treatment area clean. 44. The end of leg treatment. Arms 45. Left-right order: lay the arm flatwise, apply and rub oil in from lower arm to the entire arm and slide to the fingers, 3 times. 46. Push the entire arm with both palms, 3 times. 47. Push hands upwards tracing three main collateral channels(dachangjing-sanjiaoj ing-xiaochangjing) to armpits | Technique 46, 47, 48, 49, 50 |
| with fingers spread and hukou pointing upwards, 3 times. 48. Caress the treatment area, 3 times. 49. Trace and rub three main collateral channels on arms with kneeling finger back and forth till them turn hot, 3 times. 50. Caress the treatment area, 3 times. 51. Lay inner arm upwards, and push hands tracing three | Technique 52, 60, 62 |

| yin channel on inner | Technique 53 |
|------------------------------------|----------------------|
| arm(feijing-xinbaojing-xinjing) | |
| to armpit, with hukou | 11 01 |
| pointing upwards, 3 times | 1163)) |
| respectively. | 1. Sec. |
| 52. Rub three channels back | lared |
| and forth with kneeling | P 7 |
| fingers, 3 times. | Technique 56, 59 |
| 53. Caress the treatment | |
| area and slide to fingers. | |
| 54. Repeat the previous | |
| operation on another side. | ()) . |
| 55. Apply gel on arms. | |
| 56. RF device operation: lay | |
| arms flatwise and start from | Technique 57, 58 |
| fat part of lower arm, tracing | |
| three channels to armpit, 3 | |
| times. | /· [\ |
| 57. Move the device in | |
| annular motion, tracing three | |
| channels to armpit, 3 times. | Taskainus (7, 72, 70 |
| 58. You may double the | Technique 67, 73, 76 |
| operation on flabby arms, 3 times. | |
| 59. Trace three channels to | $) \sim ($ |
| armpit, 3 times. | <u></u> |
| 60. Lay inner arm flatwise | |
| and push three channels on | |
| upper arm to armpit, 3 times. | Technique 68 |
| 61. Trace three channels on | |
| upper arm and move the | |
| device in circles to armpit, 3 |): . :(|
| times. | |
| 62. Trace three channels | |
| from upper arm to armpit. | |
| 63. Repeat the previous | Technique 69 |
| operation with 40K operation | |
| 64. Strap lipo laser paddles | |
| down on fat part of the arms; | 2 min |
| wait for around 20 min. | |
| 65. Take off the paddles and | |
| wipe the treatment area | |
| clean. | Technique 70 |
| 66. The end of arm | |

| treatment. | |
|--|--------------|
| Abdomen 67. Stomach massage, apply and rub oil on abdomen with hands, 3 times. | |
| 68. Rub stomach back and | Technique 71 |
| forth with both hands, 3-5 times. 69. Knead abdomen with both hands using chiropractic | |
| techniques, 3 times. 70. Lift daimai on both sides | |
| of waist with both hands alternately, 16 times. | Technique 72 |
| 71. Move hands as if writing an "8" number on waist, 3 times.72. Overlap hands and | |
| message the intestinal canal | |
| clockwise, 3 times. 73. Move hands in circular | Technique 74 |
| motion and caress the treatment area, 3 times. 74. Push on the following acupoints: shangwan zhongwan xiawan shenque | |
| qihai guanyuan zhongji | Technique 75 |
| tianshu dasheng qugu, 2 times. 75. Starting from zhongji point, push both thumbs to belly navel, slide them to waist and the lift upwards to groin, 3 times. | Technique 78 |
| 76. Caress the treatmentarea with hands and slide togroin.77. Apply gel evenly on the | |
| abdomen. | |
| 78. RF operation: starting from one side of the waist, lift the device to abdomen and | Technique 80 |
| groin, 3 times. | |



10 times account for a full course of treatment. After one treatment, your body will feel relaxed, blood circulation boosted, and skin tightened. After a course you will see less fat on different parts of the body, collagen regenerated, and firm skin. After 2 courses fat reduces, collagen regenerates. Loose skin and stretch marks are also improved. 3 courses will help with enhance the effects and shape up, and S curve will appear. (One course helps to reduce size, two courses help enhance the effect, three courses help prevent rebound.)

Shaping Jaw: 30 minutes, once/month

| Temperature: | Towel + | 1. Wipe clean jaw with | No Diagrams |
|----------------|---------------|------------------------------|-------------|
| -5 ℃ | Anti-freezing | towel. | |
| | Membrane+ | 2. Select anti-freezing | |
| Time: 10-30 | MS-7306FC | membrane according to | |
| min | | the size of the fat part of | |
| | | the jaw and apply it evenly. | |
| Suction Level: | | 3. Set time, suction and | |
| Adjust | | temperature of the plate. | |
| subjecting the | | 4. Fixate the anti-freezing | |
| customer's | | plates between the strap | |
| comfort level | | and the membrane on the | |
| | | fat part of the jaw. Adjust | |
| | | suction subjecting the | |
| | | customer's comfort level. | |
| | | Wait for 10-30 min. | |
| | | 5. Turn off the machine | |
| | | and take membrane and | |
| | | plate off. Wipe clean | |
| | | treated area. | |

Suggested treatment:

Four treatments account for one full course. After one treatment, redness, swelling, congestion and numbness will gradually disappear. In 2 weeks you will gradually feel that fat is decreasing, and in 2 months fat thickness reduce visibly but the result varies on an individual basis. You will reduce excess fat and achieve the effect of weight loss after a course of treatment. After a full course, you will see visible results like reduced double chin, clear facial contour, and tight skin. At later stages it can be done every 3 month for consolidating and strengthening effect.

Fat Reduction on Arms: 30 minutes, once/month

| Temperature: | Towel+ | 1. Wipe clean your arm. | No Diagram |
|----------------|---------------|------------------------------|------------|
| -5℃ | Anti-freezing | Place the adhesive strap | |
| | Membrane+ | under the arm. | |
| Time: 10-30 | MS-7306FC | 2. Select anti-freezing | |
| min | | membrane according to the | |
| | | size of the fat part of your | |
| Suction Level: | | arm and apply it evenly. | |
| Adjust | | 3. Set time, temperature | |
| subjecting the | | and suction of the plate. | |
| customer's | | 4. Fixate the anti-freezing | |
| comfort level | | plate between the strap | |

| and the membrane. Adjust suction subjecting the customer's comfort level. Wait for 10-30 min. 5.Turn off the machine and take membrane and plate off. | |
|---|--|
| off. 6. Wipe clean treated area. | |

Four treatments account for one full course. After one treatment, redness, swelling, congestion and numbness will gradually disappear. In 2 weeks you will gradually feel that fat is decreasing, and in 2 months fat thickness reduce visibly. After a full course, you will see visible results like reduced size, slender arms and tight skin. At later stages it can be done every 3 month for consolidating and strengthening effect.

Fat Reduction on Waist & Abdomen: 30 minutes, once/month

| Temperature: | Towel+ | 1.Wipe clean waist and | No Diagram |
|----------------|---------------|------------------------------|------------|
| -5℃ | Anti-freezing | abdomen. | |
| J C | Membrane+ | Place the adhesive strap | |
| Time: 10-30 | MS-7306FC | under the waist and | |
| min | | abdomen. | |
| | | 2.Select anti-freezing | |
| Suction Level: | | membrane according to the | |
| Adjust | | size of the fat part of your | |
| subjecting the | | waist and abdomen and | |
| customer's | | apply it evenly. | |
| comfort level | | 3. Set time, temperature | |
| comfort level | | | |
| | | and suction of the plate. | |
| | | 4. Fixate the anti-freezing | |
| | | plate between the strap | |
| | | and the membrane. Adjust | |
| | | suction subjecting the | |
| | | customer's comfort level. | |
| | | Wait for 10-30 min. | |
| | | 5. Turn off the machine and | |
| | | take membrane and plate | |
| | | off. | |
| | | 6. Wipe clean treated area. | |

Suggested treatment:

Four treatments account for one full course. After one treatment, redness, swelling, congestion and numbness will gradually disappear. In 2 weeks you will gradually feel that fat is decreasing, and in 2 months fat thickness reduce visibly. Fat thickness reduce by 22% in average but the result varies on an individual basis. You will reduce excess fat and achieve the effect of weight loss after a course of treatment. After a full course, you

will see visible results like slender waist, tight skin and reduced beer belly. At later stages it can be done every 3 month for consolidating and strengthening effect.

Fat Reduction on Back: 30 minutes, once/month

| Temperature: | Towel+ | 1. Wipe clean your back. | No Diagram |
|----------------|---------------|------------------------------|------------|
| -5℃ | Anti-freezing | Place the adhesive strap | _ |
| | Membrane+ | under the back. | |
| Time: 10-30 | MS-7306FC | 2.Select anti-freezing | |
| min | | membrane according to the | |
| | | size of the fat part of your | |
| Suction Level: | | back and apply it evenly. | |
| Adjust | | 3. Set time, temperature | |
| subjecting the | | and suction of the plate. | |
| customer's | | 4. Fixate the anti-freezing | |
| comfort level | | plate between the strap | |
| | | and the membrane. Adjust | |
| | | suction subjecting the | |
| | | customer's comfort level. | |
| | | Wait for 10-30 min. | |
| | | 5. Turn off the machine and | |
| | | take membrane and plate | |
| | | off. | |
| | | 6.Wipe clean treated area. | |

Suggested treatment:

Four treatments account for one full course. After one treatment, redness, swelling, congestion and numbness will gradually disappear. In 2 weeks you will gradually feel that fat is decreasing, and in 2 months fat thickness reduce visibly. Fat thickness reduce by 22% in average but the result varies on an individual basis. You will reduce excess fat and achieve the effect of weight loss after a course of treatment. At later stages it can be done every 3 month for consolidating and strengthening effect.

Fat Reduction on Legs: 30 minutes, once/month

| Temperature: | Towel+ | 1. Wipe clean your leg. | No Diagram |
|----------------|---------------|------------------------------|------------|
| -5℃ | Anti-freezing | Place the adhesive strap | |
| | Membrane+ | under the leg. | |
| Time: 10-30 | MS-7306FC | 2. Select anti-freezing | |
| min | | membrane according to the | |
| | | size of the fat part of your | |
| Suction Level: | | leg and apply it evenly. | |
| Adjust | | 3. Set time, temperature | |
| subjecting the | | and suction of the plate. | |
| customer's | | 4. Fixate the anti-freezing | |
| comfort level | | plate between the strap | |
| | | and the membrane. Adjust | |

| | suction subjecting the | |
|--|-----------------------------|--|
| | customer's comfort level. | |
| | Wait for 10-30 min. | |
| | 5. Turn off the machine and | |
| | take membrane and plate | |
| | off. | |
| | 6. Wipe clean treated area. | |
| | | |

Four treatments account for one full course. After one treatment, redness, swelling, congestion and numbness will gradually disappear. In 2 weeks you will gradually feel that fat is decreasing, and in 2 months fat thickness reduce visibly. Fat thickness reduce by 22% in average but the result varies on an individual basis. You will reduce excess fat and achieve the effect of weight loss after a course of treatment. After a full course, you will see visible results like reduced size, slender legs, tight skin and reduced adipose on legs. At later stages it can be done every 3 month for consolidating and strengthening effect.

Shaping Buttocks: 30 minutes, once/month

| Temperature: | Towel + | 1. Wipe clean buttocks | No Diagrams |
|----------------|---------------|-----------------------------|-------------|
| -5 ℃ | Anti-freezing | with towel. | |
| | Membrane+ | 2. Select anti-freezing | |
| Time: 10-30 | MS-7306FC | membrane according to | |
| min | | the size of the fat part of | |
| | | the buttocks and apply it | |
| Suction Level: | | evenly. | |
| Adjust | | 3. Set time, suction and | |
| subjecting the | | temperature of the plate. | |
| customer's | | 4. Fixate the anti-freezing | |
| comfort level | | plates between the strap | |
| | | and the membrane on the | |
| | | fat part of the buttocks. | |
| | | Adjust suction subjecting | |
| | | the customer's comfort | |
| | | level. Wait for 10-30 min. | |
| | | 5. Turn off the machine | |
| | | and take membrane and | |
| | | plate off. Wipe clean | |
| | | treated area. | |

Suggested treatment:

Four treatments account for one full course. After one treatment, redness, swelling, congestion and numbness will gradually disappear. In 2 weeks you will gradually feel that fat is decreasing, and in 2 months fat thickness reduce visibly but the result varies

on an individual basis. You will reduce excess fat and achieve the effect of weight loss after a course of treatment. After a full course, you will see visible results like reduced size, reduced unwanted fat on buttocks and firm buttocks. At later stages it can be done every 3 month for consolidating and strengthening effect.

| Temperature: | Towel + | Jaw | No Diagram |
|-----------------|---------------|------------------------------|-------------------------|
| -5° ℃ | Anti-freezing | 1. Wipe clean jaw area. | |
| | Membrane+ | Place the adhesive strap | |
| Time: 10-30 min | MS-7306FC | under the chin. | Notice: |
| | | 2. Select anti-freezing | Your jaw may |
| Suction Level: | | membrane according to the | experience an obvious |
| Adjust | | size of the fat part of your | tight feeling. |
| subjecting the | | arm and apply it evenly. | Slight redness, |
| customer's | | 3. Set time, temperature | swelling, and |
| comfort level | | and suction of the plate. | petechiae may appear |
| | | 4. Fixate the anti-freezing | after treatment, which |
| | | plate between the strap | is normal so there's no |
| | | and the membrane. Adjust | need to worry! |
| | | suction subjecting the | |
| | | customer's comfort level. | |
| | | Wait for 10-30 min. | |
| | | Arm | |
| | | 5. Wipe clean your arm. | |
| | | Place the adhesive strap | |
| | | under the arm. | Notice: |
| | | 6. Select anti-freezing | Your arms may |
| | | membrane according to the | experience an obvious |
| | | size of the fat part of your | tight feeling. |
| | | arm and apply it evenly. | Slight redness, |
| | | 7. Set time, temperature | swelling, and |
| | | and suction of the plate. | petechiae may appear |
| | | 8. Fixate the anti-freezing | after treatment, which |
| | | plate between the strap | is normal so there's no |
| | | and the membrane. Adjust | need to worry! |
| | | suction subjecting the | |
| | | customer's comfort level. | |
| | | Wait for 10-30 min. | |
| | | 9. Turn off the machine | |
| | | and take membrane and | |
| | | plate off and wipe clean | |
| | | treated area. | Notice: |
| | | | NULLE. |

Fat Reduction on the whole body: 90 minutes, once/month

| Maint Q Ab dom on | Voursusiat and |
|--|--|
| Waist&Abdomen | Your waist and |
| 10. Wipe clean waist and | abdomen may |
| abdomen. | experience an obvious |
| Place the adhesive strap | tight feeling. Stronger |
| under the back and select | the suction level is, |
| anti-freezing membrane | tighter feeling you may |
| according to the size of the | feel. |
| fat part of your waist and | Two plates can be used |
| abdomen and apply it | at the same time. |
| evenly. | Bubble may appear |
| 11. Set time, temperature | during the process due |
| and suction of the plate. | to constant suction |
| 12. Fixate the anti-freezing | and there's air |
| plate between the strap | between anti-freezing |
| and the membrane. Adjust | membrane and the |
| suction subjecting the | plates! |
| customer's comfort level. | Slight redness, |
| Wait for 10-30 min. | swelling, and |
| 13. Turn off the machine | petechiae may appear |
| and take membrane and | after treatment, which |
| plate off. | is normal so there's no |
| | need to worry! |
| Back | |
| 14. Wipe clean your back. | |
| Place the adhesive strap | |
| under the abdomen and | Notice: |
| select anti-freezing | Your back may |
| membrane according to the | experience an obvious |
| size of the fat part of your | tight feeling. |
| back and apply it evenly. | Slight redness, |
| 15. Set time, temperature | swelling, and |
| and suction of the plate. | petechiae may appear |
| | |
| 16. Fixate the anti-freezing | after treatment, which |
| 16. Fixate the anti-freezing plate between the strap | |
| - | after treatment, which |
| plate between the strap | after treatment, which is normal so there's no |
| plate between the strap and the membrane. Adjust | after treatment, which is normal so there's no |
| plate between the strap and the membrane. Adjust suction subjecting the | after treatment, which is normal so there's no |
| plate between the strap and the membrane. Adjust suction subjecting the customer's comfort level. | after treatment, which is normal so there's no need to worry! |
| plate between the strap and the membrane. Adjust suction subjecting the customer's comfort level. Wait for 10-30 min. | after treatment, which is normal so there's no need to worry! Notice: |
| plate between the strap and the membrane. Adjust suction subjecting the customer's comfort level. Wait for 10-30 min. 17. Turn off the machine | after treatment, which is normal so there's no need to worry! Notice: Your legs may |
| plate between the strap and the membrane. Adjust suction subjecting the customer's comfort level. Wait for 10-30 min. 17. Turn off the machine and take membrane and | after treatment, which is normal so there's no need to worry! Notice: Your legs may experience an obvious |
| plate between the strap and the membrane. Adjust suction subjecting the customer's comfort level. Wait for 10-30 min. 17. Turn off the machine and take membrane and plate off and wipe clean | after treatment, which is normal so there's no need to worry! Notice: Your legs may experience an obvious tight feeling. |

| | 18. Wipe clean your leg. | after treatment, which |
|----------------------|------------------------------|-------------------------|
| | 19. Place the adhesive | is normal so there's no |
| | strap under the leg and | need to worry! |
| | select anti-freezing | |
| | membrane according to the | Note: Apply at least 2 |
| | size of the fat part of your | anti-freezing |
| | leg and apply it evenly. | membranes! |
| | 20. Set time, temperature | |
| | and suction of the plate. | |
| | 22. Fixate the anti-freezing | |
| | plate between the strap | |
| | and the membrane. Adjust | |
| | suction subjecting the | |
| | customer's comfort level. | |
| | Wait for 10-30 min. | |
| | 23. Turn off the machine | |
| | and take membrane and | |
| | plate off and wipe clean | |
| | treated area. | |
| Suggested treatment: | | |

Four treatments account for one full course. After one treatment, redness, swelling, congestion and numbness will gradually disappear within a week. In 2 weeks you will gradually feel that fat is decreasing, and in 2 months fat thickness reduce visibly. After a full course, you will see visible results like reduced size, slender body, tight skin. At later stages it can be done every 3 month for consolidating and strengthening effect.

Suggested Treatment of vacuum cryolipolysis and 40K, RF:

Option One: For those with thick fat layers conduct 40K and RF treatment for 15 min respectively and wait for two week to conduct vacuum cryolipolysis treatment for 10-30 min or so. After that wait for a month before 40K and RF treatment.

Option Two: Conduct 40K and RF treatment 1-2 times per week. At earlier stages conduct 40K and RF treatment only for a month, and vacuum cryolipolysis treatment per month after one month apart.

Note:

1. Three knobs on the side of the machine can be used to adjust suction of the three plates.

2. Vacuum and cryolipolysis can work simultaneously.